

## USMC\_FY-15 OSHA CITATIONS Total

Installation	Open Conf. Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	MARCORPS OSH Reference	Abatement Date	Max Private Sector Penalty
Marine Corps Community Services (Mccs) 4155 Nelson Rd Camp Pendleton, CA 92055	10/10/2014	Unprog Other	Serious	1910.305(a)(2)(i)	<b>Wiring methods, components, and equipment for general use. Wiring methods. The provisions of this section do not apply to conductors that are an integral part of factory-assembled equipment. Temporary wiring. Except as specifically modified in this paragraph, all other requirements of this subpart for permanent wiring shall also apply to temporary wiring installations.</b> Temporary electrical power and lighting installations of 600 volts, nominal, or less may be used only as follows: (A) During and for remodeling, maintenance, or repair of buildings, structures, or equipment, and similar activities; (B) For a period not to exceed 90 days for Christmas decorative lighting, carnivals, and similar purposes; or (C) For experimental or development work, and during emergencies.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance Date: 11/05/2014 Abatement Date: 12/03/2014 Close Case Date: 12/02/2014 <b>(CLOSED)</b>	\$7,000
Marine Corps Community Services (Mccs) 4155 Nelson Rd Camp Pendleton, CA 92055	10/10/2014	Unprog Other	Serious	1910.305(g)(1)(iv)(A)	<b>Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables.</b> Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure;	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance Date: 11/05/2014 Abatement Date: 12/03/2014 Close Case Date: 12/02/2014 <b>(CLOSED)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.22(a)(2)	<b>General requirements. "Housekeeping."</b> "Aisles and passageways." Permanent aisles and passageways shall be appropriately marked.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.37(a)(3)	<b>Maintenance, safeguards, and operational features for exit routes. The danger to employees must be minimized.</b> Exit routes must be free and unobstructed. No materials or equipment may be placed, either permanently or temporarily, within the exit route. The exit access must not go through a room that can be locked, such as a bathroom, to reach an exit or exit discharge, nor may it lead into a dead-end corridor. Stairs or a ramp must be provided where the exit route is not substantially level.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.37(b)(2)	<b>Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate.</b> Each exit must be clearly visible and marked by a sign reading "Exit."	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.37(b)(5)	<b>Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate.</b> Each doorway or passage along an exit access that could be mistaken for an exit must be marked "Not an Exit" or similar designation, or be identified by a sign indicating its actual use (e.g., closet).	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.134(h)(4)(ii)	<b>Respiratory Protection. Maintenance and care of respirators</b> (This paragraph requires the employer to provide for the cleaning and disinfecting, storage, inspection, and repair of respirators used by employees.) <b>Repairs.</b> The employer shall ensure that respirators that fail an inspection or are otherwise found to be defective are removed from service, and are discarded or repaired or adjusted in accordance with the following procedures: Repairs shall be made according to the manufacturer's recommendations and specifications for the type and extent of repairs to be performed;	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 13, Personal Protective Equipment (PPE)	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.157(e)(3)	<b>Portable fire extinguishers. Inspection, maintenance and testing.</b> The employer shall assure that portable fire extinguishers are subjected to an annual maintenance check. Stored pressure extinguishers do not require an internal examination. The employer shall record the annual maintenance date and retain this record for one year after the last entry or the life of the shell, whichever is less. The record shall be available to the Assistant Secretary upon request.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.178(a)(4)	<b>Powered industrial trucks. Powered industrial trucks.</b> Modifications and additions which affect capacity and safe operation shall not be performed by the customer or user without manufacturers prior written approval. Capacity, operation, and maintenance instruction plates, tags, or decals shall be changed accordingly.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.178(q)(7)	<b>Powered industrial trucks. Maintenance of industrial trucks.</b> Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.179(j)(2)	<b>Overhead and gantry cranes. Inspection - Frequent inspection.</b> The following items shall be inspected for defects at intervals as defined in paragraph (j)(1)(ii) of this section or as specifically indicated, including observation during operation for any defects which might appear between regular inspections. All deficiencies such as listed shall be carefully examined and determination made as to whether they constitute a safety hazard:	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.212(a)(1)	<b>General requirements for all machines. Machine guarding.</b> Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are- barrier guards, two-hand tripping devices, electronic safety devices, etc.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.212(a)(3)(ii)	<b>General requirements for all machines. Machine guarding. Point of operation guarding.</b> The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards therefor, or, in the absence of applicable specific standards, shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.215(a)(2)	<b>Abrasive wheel machinery. General requirements.</b> Guard design. The safety guard shall cover the spindle end, nut, and flange projections. The safety guard shall be mounted so as to maintain proper alignment with the wheel, and the strength of the fastenings shall exceed the strength of the guard, except:	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.215(a)(4)	<b>Abrasive wheel machinery. General requirements.</b> Work rests. On offhand grinding machines, work rests shall be used to support the work. They shall be of rigid construction and designed to be adjustable to compensate for wheel wear. Work rests shall be kept adjusted closely to the wheel with a maximum opening of one-eighth inch to prevent the work from being jammed between the wheel and the rest, which may cause wheel breakage. The work rest shall be securely clamped after each adjustment. The adjustment shall not be made with the wheel in motion.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.215(b)(9)	<b>Abrasive wheel machinery. Guarding of abrasive wheel machinery.</b> Exposure adjustment. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch. (See Figures O-18, O-19, O-20, O-21, O-22, and O-23.)	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.215(d)(3)	<b>Abrasive wheel machinery. Mounting -</b> Surface condition. All contact surfaces of wheels, blotters and flanges shall be flat and free of foreign matter.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.243(c)(3)	<b>Guarding of portable powered tools. Portable abrasive wheels -</b> Vertical portable grinders. Safety guards used on machines known as right angle head or vertical portable grinders shall have a maximum exposure angle of 180 deg., and the guard shall be so located so as to be between the operator and the wheel during use. Adjustment of guard shall be such that pieces of an accidentally broken wheel will be deflected away from the operator. (See Figure P-4.)	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.253(b)(5)(ii)(G)	<b>Oxygen-fuel gas welding and cutting. Cylinders and containers - Operating procedures.</b> Cylinder valves shall be closed when work is finished.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 17, Hazardous Materials Control	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.253(e)(6)(ii)	<b>Oxygen-fuel gas welding and cutting. Protective equipment, hose, and regulators -</b> When regulators or parts of regulators, including gages, need repair, the work shall be performed by skilled mechanics who have been properly instructed.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 17, Hazardous Materials Control	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.303(g)(1)(ii)	<b>General. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment.</b> Working space required by this standard may not be used for storage. When normally enclosed live parts are exposed for inspection or servicing, the working space, if in a passageway or general open space, shall be suitably guarded.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.304(f)(1)(viii)	<b>Wiring design and protection. Overcurrent protection -- 600 volts, nominal, or less. The following requirements apply to overcurrent protection of circuits rated 600 volts, nominal, or less.</b> 600 volts, nominal, or less. The following requirements apply to overcurrent protection of circuits rated 600 volts, nominal, or less.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311 Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.305(b)(2)(i)	<b>Wiring methods, components, and equipment for general use. Cabinets, boxes, and fittings</b> -- Covers and canopies. All pull boxes, junction boxes, and fittings shall be provided with covers identified for the purpose. If metal covers are used, they shall be grounded. In completed installations, each outlet box shall have a cover, faceplate, or fixture canopy. Covers of outlet boxes having holes through which flexible cord pendants pass shall be provided with bushings designed for the purpose or shall have smooth, well-rounded surfaces on which the cords may bear.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg. 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.305(g)(1)(iv)(A)	<b>Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables.</b> Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.305(g)(1)(iv)(D)	<b>Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables.</b> Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used; Where attached to building surfaces;	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.305(g)(2)(iii)	<b>Wiring methods, components, and equipment for general use. Flexible cords and cables -- Identification, splices, and terminations.</b> Flexible cords and cables shall be connected to devices and fittings so that strain relief is provided that will prevent pull from being directly transmitted to joints or terminal screws.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.305(j)(1)(i)	<b>Wiring methods, components, and equipment for general use. Equipment for general use -- Lighting fixtures, lampholders, lamps, and receptacles.</b> Fixtures, lampholders, lamps, rosettes, and receptacles may have no live parts normally exposed to employee contact. However, rosettes and cleat-type lampholders and receptacles located at least 2.44 m (8.0 ft) above the floor may have exposed terminals.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.334(a)(2)(ii)	<b>Use of equipment. Portable electric equipment. This paragraph applies to the use of cord and plug connected equipment, including flexible cord sets (extension cords). Visual inspection.</b> If there is a defect or evidence of damage that might expose an employee to injury, the defective or damaged item shall be removed from service, and no employee may use it until repairs and tests necessary to render the equipment safe have been made	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.334(a)(3)(ii)	<b>Use of equipment. Portable electric equipment. This paragraph applies to the use of cord and plug connected equipment, including flexible cord sets (extension cords). Grounding type equipment.</b> Attachment plugs and receptacles may not be connected or altered in a manner which would prevent proper continuity of the equipment grounding conductor at the point where plugs are attached to receptacles. Additionally, these devices may not be altered to allow the grounding pole of a plug to be inserted into slots intended for connection to the current-carrying conductors.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000



## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.1200(f)(5)	<b>Hazard Communication. Labels and other forms of warning—</b> Chemical manufacturers, importers, or distributors shall ensure that each container of hazardous chemicals leaving the workplace is labeled, tagged, or marked in accordance with this section in a manner which does not conflict with the requirements of the Hazardous Materials Transportation Act (49 U.S.C. 1801 et seq.) and regulations issued under that Act by the Department of Transportation	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 17, Hazardous Materials Control	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Serious	1910.1200(g)(8)	<b>Hazard Communication. Safety data sheets.</b> The employer shall maintain in the workplace copies of the required safety data sheets for each hazardous chemical, and shall ensure that they are readily accessible during each work shift to employees when they are in their work area(s). (Electronic access and other alternatives to maintaining paper copies of the safety data sheets are permitted as long as no barriers to immediate employee access in each workplace are created by such options.)	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 17, Hazardous Materials Control	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$7,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Repeat	1910.23(c )(1)	<b>Guarding floor and wall openings and holes. "Protection of open-sided floors, platforms, and runways."</b> Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent as specified in paragraph (e)(3) of this section) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder. The railing shall be provided with a toeboard wherever, beneath the open sides.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$70,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Repeat	1910.242(b)	<b>Hand and portable powered tools and equipment, general.</b> Compressed air used for cleaning. Compressed air shall not be used for cleaning purposes except where reduced to less than 30 p.s.i. and then only with effective chip guarding and personal protective equipment.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$70,000

## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Repeat	1910.303(b)(2)	<b>General. Examination, installation, and use of equipment -- Installation and use.</b> Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$70,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Repeat	1910.303(b)(7)(i)	<b>General. Installation and use. Mechanical execution of work.</b> Electric equipment shall be installed in a neat and workmanlike manner. Unused openings in boxes, raceways, auxiliary gutters, cabinets, equipment cases, or housings shall be effectively closed to afford protection substantially equivalent to the wall of the equipment.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$70,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Repeat	1910.304(b)(4)(ii)(B)	<b>Wiring design and protection. Branch circuits -- Outlet devices.</b> Outlet devices shall have an ampere rating not less than the load to be served and shall comply with the following provisions: Receptacle outlets shall comply with the following provisions: Receptacle outlets shall comply with the following provisions: Where connected to a branch circuit supplying two or more receptacles or outlets, a receptacle may not supply a total cord- and plug-connected load in excess of the maximum specified in Table S-4;	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$70,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Other	1910.134(h)(2)(i)	<b>Respiratory Protection. Maintenance and care of respirators. This paragraph requires the employer to provide for the cleaning and disinfecting, storage, inspection, and repair of respirators used by employees. Storage. The employer shall ensure that respirators are stored as follows:</b> All respirators shall be stored to protect them from damage, contamination, dust, sunlight, extreme temperatures, excessive moisture, and damaging chemicals, and they shall be packed or stored to prevent deformation of the facepiece and exhalation valve.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 13, Personal Protective Equipment (PPE)	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$1,000

## USMC\_FY-15 OSHA CITATIONS Total

Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Other	1910.157(c)(1)	<b>Portable fire extinguishers. General requirements.</b> The employer shall provide portable fire extinguishers and shall mount, locate and identify them so that they are readily accessible to employees without subjecting the employees to possible injury.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$1,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Other	1910.178(a)(6)	<b>Powered industrial trucks. General requirements.</b> The user shall see that all nameplates and markings are in place and are maintained in a legible condition.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$1,000
Marine Depot Production Plant Barstow Maintenance Center, Bldg 573cwc 200, Po Box 110880 Barstow, CA 92311	1/13/2015	Planned	Other	1910.243(b)(2)	<b>Guarding of portable powered tools. Pneumatic powered tools and hose -</b> Airhose. Hose and hose connections used for conducting compressed air to utilization equipment shall be designed for the pressure and service to which they are subjected.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 06/03/2015 Abatement Date: 06/29/2015 Close Case Date: <b>(OPEN)</b>	\$1,000
MCAS Cherry Point, Safety And Standardization Bldg. 294, Wing 4psc Box 8016, Havelock, NC 28533	3/2/2015	Unprog Rel	Serious	1910.303(e)	<b>General.</b> Marking --	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 03/24/2015 Abatement Date: Close Case Date: 04/20/2015 <b>(CLOSED)</b>	\$7,000
MCAS Cherry Point, Safety And Standardization Bldg. 294, Wing 4psc Box 8016, Havelock, NC 28533	3/2/2015	Unprog Rel	Serious	1910.305(b)(1)(ii)	<b>Wiring methods, components, and equipment for general use. Cabinets, boxes, and fittings --</b> Conductors entering boxes, cabinets, or fittings. Unused openings in cabinets, boxes, and fittings shall be effectively closed.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 03/24/2015 Abatement Date: Close Case Date: 04/20/2015 <b>(CLOSED)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

MCAS Cherry Point, Safety And Standardization Bldg. 294, Wing 4psc Box 8016, Havelock, NC 28533	3/4/2015	Unprog Other	Serious	1910.132(d)(1)	<b>Personal Protective Equipment. Hazard assessment and equipment selection.</b> The employer shall assess the workplace to determine if hazards are present, or are likely to be present, which necessitate the use of personal protective equipment (PPE). If such hazards are present, or likely to be present, the employer shall	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 13, Personal Protective Equipment (PPE)	Citation Issuance: 03/17/2017 Abatement date: 04/13/2015 Close case Date: 04/13/2015 <b>(CLOSED)</b>	\$7,000
MCAS Cherry Point, Safety And Standardization Bldg. 294, Wing 4psc Box 8016, Havelock, NC 28533	3/4/2015	Unprog Other	Serious	1910.134(e)(1)	<b>Respiratory Protection. Medical evaluation.</b> Using a respirator may place a physiological burden on employees that varies with the type of respirator worn, the job and workplace conditions in which the respirator is used, and the medical status of the employee. Accordingly, this paragraph specifies the minimum requirements for medical evaluation that employers must implement to determine the employee's ability to use a respirator. <b>General.</b> The employer shall provide a medical evaluation to determine the employee's ability to use a respirator, before the employee is fit tested or required to use the respirator in the workplace. The employer may discontinue an employee's medical evaluations when the employee is no longer required to use a respirator.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 13, Personal Protective Equipment (PPE)	Citation Issuance: 03/17/2017 Abatement date: 04/13/2015 Close case Date: 04/13/2015 <b>(CLOSED)</b>	\$7,000
MCAS Cherry Point, Safety And Standardization Bldg. 294, Wing 4psc Box 8016, Havelock, NC 28533	3/4/2015	Unprog Other	Serious	1910.134(k)(3)	<b>Respiratory Protection. Training and information.</b> This paragraph requires the employer to provide effective training to employees who are required to use respirators. The training must be comprehensive, understandable, and recur annually, and more often if necessary. This paragraph also requires the employer to provide the basic information on respirators in Appendix D of this section to employees who wear respirators when not required. The employer shall provide the training prior to requiring the employee to use a respirator in the workplace by this section or by the employer to do so.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 13, Personal Protective Equipment (PPE)	Citation Issuance: 03/17/2017 Abatement date: 04/13/2015 Close case Date: 04/13/2015 <b>(CLOSED)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

MCAS Beaufort, Attn: Base Safety P.O. Box 55001, Beaufort, SC 29904	6/16/2015	Planned	Serious	1910.176(b)	<b>Handling materials - general.</b> Secure storage. Storage of material shall not create a hazard. Bags, containers, bundles, etc., stored in tiers shall be stacked, blocked, interlocked and limited in height so that they are stable and secure against sliding or collapse.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 07/29/2015 Abatement Date: 08/10/2015 Close Case Date: 08/24/2015 <b>(CLOSED)</b>	\$7,000
MCAS Beaufort, Attn: Base Safety P.O. Box 55001, Beaufort, SC 29904	6/16/2015	Planned	Serious	1910.215(b)(9)	<b>Abrasive wheel machinery. Guarding of abrasive wheel machinery.</b> Exposure adjustment. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch. (See Figures O-18, O-19, O-20, O-21, O-22, and O-23.)	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 07/29/2015 Abatement Date: 08/10/2015 Close Case Date: 08/24/2015 <b>(CLOSED)</b>	\$7,000
MCAS Beaufort, Attn: Base Safety P.O. Box 55001, Beaufort, SC 29904	6/16/2015	Planned	Serious	1910.253(b)(4)(iii)	<b>Oxygen-fuel gas welding and cutting. Cylinders and containers - Oxygen storage.</b> Oxygen cylinders in storage shall be separated from fuel-gas cylinders or combustible materials (especially oil or grease), a minimum distance of 20 feet (6.1 m) or by a noncombustible barrier at least 5 feet (1.5 m) high having a fire-resistance rating of at least one-half hour.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards; Chapter 17, Hazardous Materials Control	Citation Issuance: 07/29/2015 Abatement Date: 08/10/2015 Close Case Date: 08/24/2015 <b>(CLOSED)</b>	\$7,000

## USMC\_FY-15 OSHA CITATIONS Total

MCAS Beaufort, Attn: Base Safety P.O. Box 55001, Beaufort, SC 29904	6/16/2015	Planned	Serious	1910.304(a)(2)	<b>Wiring design and protection. Use and identification of grounded and grounding conductors</b> -- Polarity of connections. No grounded conductor may be attached to any terminal or lead so as to reverse designated polarity.	NAVMC DIR 5100.8, Chapter 8, Federal and State Occupational Safety and Health Inspections and Investigations at Federal and Contractor Workplaces on Marine Corps Installations; Chapter 10, Prevention and Control of Work Center Hazards	Citation Issuance: 07/29/2015 Abatement Date: 08/10/2015 Close Case Date: 08/24/2015 <b>(CLOSED)</b>	\$7,000
<b>Total</b>	<b>Serious</b>	<b>Other</b>	<b>Repeat</b>					
<b>49</b>	<b>40</b>	<b>4</b>	<b>5</b>					